

WHAT IS CLAIMED IS:

5

1. A display device comprising:

a display unit having a plate, a chassis and a bezel holding peripheral edges of the plate, the bezel being provided with an extension portion which is extended from a side of the display unit and outwardly projects from an end of the chassis; and

10 a cover enclosing a back-side surface of the display unit.

15

2. A display device according to claim 1 wherein the bezel extension portion is disposed in a vicinity of a base 20 portion of the display unit.

25

3. A display device according to claim 1 wherein the display unit is arranged in a rectangular formation, and the bezel extension portion is extended from a lateral side of the display unit.

30

4. A display device according to claim 1 wherein an inside space is surrounded by end surfaces of the display unit 35 and the cover, and formed beneath a back-side surface of the bezel extension portion, and an electronic part is disposed within the inside space.

5           5. An electronic apparatus comprising:  
          a display unit having a plate, a chassis and a bezel  
          holding peripheral edges of the plate, the bezel being provided  
          with an extension portion which is extended from a side of the  
          display unit and outwardly projects from an end of the chassis;  
          and

          a cover enclosing a back-side surface of the display  
          unit.

10

15           6. An electronic apparatus according to claim 5  
          wherein the bezel extension portion is disposed in a vicinity of a  
          base portion of the display unit.

20

          7. An electronic apparatus according to claim 5  
          wherein the display unit is arranged in a rectangular formation,  
          and the bezel extension portion is extended from a lateral side  
          of the display unit.

25

30           8. An electronic apparatus according to claim 5  
          wherein an inside space is surrounded by end surfaces of the  
          display unit and the cover, and formed beneath a back-side  
          surface of the bezel extension portion, and an electronic part is  
          disposed within the inside space.

35

          9. A display device according to claim 1 wherein the

display device has a height that is equivalent to a total height of the display unit and the cover only.

5

10 10. An electronic apparatus according to claim 5 wherein the electronic apparatus is provided with a display device that has a height that is equivalent to a total height of the display unit and the cover only.

15 11. A display unit comprising:

a plate;  
a chassis; and

a bezel holding peripheral edges of the plate, the bezel being provided with an extension portion which is extended from a side of the display unit and outwardly projects from an end of the chassis.

25

12. A display unit according to claim 11 wherein the bezel extension portion is disposed in a vicinity of a base portion of the display unit.

30

35 13. A display unit according to claim 11 wherein the display unit is arranged in a rectangular formation, and the bezel extension portion is extended from a lateral side of the display unit.

14. A display unit according to claim 11 wherein an inside space is surrounded by end surfaces of the display unit and a cover, and formed beneath a back-side surface of the bezel extension portion, and an electronic part is disposed within the  
5 inside space.

10

15

20

25

30

35